

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A mating key gateway adapted to retrieve at least one mating key used to encrypt a program key that is used to scramble digital content prior to transmission to a digital device, comprising:

a bus;

a processor coupled to the bus;

an interface coupled to the bus, the interface being adapted to receive information from (1) a sender of the digital content and (2) either a server controlled by a supplier of the digital device or a trusted third party, the information received by the interface from the sender comprises a mating key generator being a message that comprises an identifier of the supplier;  
and

a non-volatile storage unit coupled to the bus, the non-volatile storage unit to store a mating key lookup table to identify either the server controlled by the supplier of the digital device or the trusted third party, based on the information received from the sender, from which the at least one mating key is supplied, the mating key lookup table stored by the non-volatile storage unit comprises (i) a first group of entries forming a range of mating key generators for digital devices supplied by each supplier of a plurality of suppliers including the supplier, and (ii) a second group of entries corresponding to the first group of entries, each entry of the second group of entries including at least one mating key uniquely corresponding to and formed by at least a portion of one of the mating key generators.

2. (Original) The mating key gateway of claim 1, wherein the interface to receive the information from the sender being one of a cable provider, a satellite-based provider, a terrestrial-based provider, an Internet service provider and a conditional access (CA) provider operating with one of the cable provider, the satellite-based provider, the terrestrial-based provider and the Internet service provider.

3. (Original) The mating key gateway of claim 2, wherein the interface to receive information from the supplier being a manufacturer of the digital device.

4. (Cancelled).

5. (Currently Amended) The mating key gateway of claim 1[[4]], wherein the mating key generator received by the interface further comprises an identifier of a provider of a system that enables transmission of both the digital content and the mating key generator to the digital device.

6. (Original) The mating key gateway of claim 5, wherein the mating key generator received by the interface further comprises (i) an identifier that identifies a conditional access (CA) system provider over which the digital content and the mating key generator are transmitted, and (ii) a mating key sequence number.

7. (Original) The mating key gateway of claim 1, wherein the mating key lookup table stored by the non-volatile storage unit comprises (i) a first group of entries forming a range of serial numbers for digital devices supplied by each supplier of a plurality of suppliers including the supplier, and (ii) a second group of entries corresponding to the first group of entries, each entry of the second group of entries including information to establish communications with a server controlled by one of the plurality of suppliers.

8. (Original) The mating key gateway of claim 1, wherein the mating key lookup table stored by the non-volatile storage unit comprises (i) a first group of entries forming a range of serial numbers for digital devices supplied by each supplier of a plurality of suppliers including the supplier, and (ii) a second group of entries corresponding to the first group of entries, each entry of the second group of entries including an address to establish communications with a trusted third party authorized by one of the plurality of suppliers.

9. (Currently Amended) The mating key gateway of claim 1[[4]], wherein the mating key lookup table stored by the non-volatile storage unit comprises (i) a first group of entries forming a range of mating key generators for digital devices supplied by each supplier of

a plurality of suppliers including the supplier and the at least one mating key being formed using at least a portion of one of the mating key generators, and (ii) a second group of entries corresponding to the first group of entries, each entry of the second group of entries including information to establish communications with a server controlled by one of the plurality of suppliers.

10. (Original) The mating key gateway of claim 9, wherein the information includes an address to establish communications over a network.

11. (Cancelled).

12. (Previously Presented) A mating key gateway adapted to retrieve a mating key used to encrypt a program key that is used to scramble digital content prior to transmission to a digital device, the mating key gateway comprising:

a processor;

an interface in communication with the processor, the interface being adapted to exchange information with (1) a headend and (2) a server configured to store a mating key associated with the digital device; and

a non-volatile storage unit to store a mating key lookup table to identify the server based on the information received from the headend, the information received from the headend includes a mating key generator being a message that comprises an identifier of the manufacturer of the digital device and the mating key being formed using at least a portion of the mating key generator.

13. (Original) The mating key gateway of claim 12, wherein the interface receives the mating key from the server being controlled by a manufacturer of the digital device.

14. (Cancelled).

15. (Previously Presented) The mating key gateway of claim 12, wherein the mating key generator received by the interface further comprises (i) an identifier that identifies a

conditional access (CA) system provider over which the digital content and the mating key generator are transmitted, and (ii) a mating key sequence number.

16. (Original) The mating key gateway of claim 12, wherein the mating key lookup table stored by the non-volatile storage unit comprises (i) a first group of entries forming a range of serial numbers of digital devices supplied by each of a plurality of manufacturers, and (ii) a second group of entries corresponding to the first group of entries, each entry of the second group of entries including information to establish communications with a server controlled by one of the plurality of manufacturers.

17. (Original) The mating key gateway of claim 16, wherein the server controlled by one of the plurality of manufacturers is the server.

18. (Previously Presented) The mating key gateway of claim 12, wherein the mating key lookup table stored by the non-volatile storage unit comprises (i) a first group of entries forming a range of mating key generators associated with digital devices supplied by each of a plurality of manufacturers, and (ii) a second group of entries corresponding to the first group of entries, each entry of the second group of entries including information to establish communications with a server controlled by one of the plurality of manufacturers.

19. (Original) The mating key gateway of claim 18, wherein the information includes an address to establish communications over a network.

20. (Original) The mating key gateway of claim 12 being adapted to additionally store mating keys for selected digital devices.

21. (Currently Amended) A secure content delivery system comprising:  
a trusted third party to store a plurality of mating keys associated with digital devices,  
each mating key being used to encrypt a program key that is used to scramble digital content;  
and  
a mating key gateway in communications with the trusted third party, the mating key gateway to provide information received from a headend to the trusted third party for retrieval of

a requested mating key that is computed using the information received from the headend, the information provided to the trusted third party comprises a mating key generator being a message that comprises an identifier of a supplier of one of the digital devices and the mating key generator undergoing a hash operation to produce the requested mating key.

22-23. (Cancelled).

24. (Currently Amended) The secure content delivery system of claim 2123, wherein the identifier of the supplier included in the mating key generator identifies a manufacturer of the one of the digital devices.

25. (Currently Amended) The secure content delivery system of claim 2123, wherein the mating key generator provided to the trusted third party further comprises an identifier of a provider of the secure content delivery system that enables transmission of both the digital content and the mating key generator to the one of the digital devices.

26. (Currently Amended) The secure content delivery system of claim 2123, wherein the mating key generator provided to the trusted third party further comprises (i) an identifier that identifies a conditional access (CA) system provider over which the digital content and the mating key generator are transmitted, and (ii) a mating key sequence number.

27. (Currently Amended) A method comprising:  
receiving a mating key generator;  
receiving a serial number being used to locate an one-time programmable value;  
computing a mating key by performing a computation on the mating key generator and  
the one-time programmable value to produce the mating key; and  
outputting thea mating key based on the mating key generator being a message including  
at least one of (i) a first identifier to identify a manufacturer of the digital device, (ii) a service  
provider identifier, (iii) a conditional access provider identifier, and (iv) a mating key sequence  
number and an the one-time programmable value being identical to a key stored in a digital

device of a set-top box targeted to receive information encrypted with either the mating key or a derivative of the mating key.

28-38. (Cancelled).